Information Processing Letters 42 (1992) 351–353
North-Holland

24 July 1992

Author Index Volume 42 (1992)

(The issue number is given in front of the page numbers.)

Aggarwal, A., H. Edelsbrunner, P. Raghavan and **P. Tiwari**, Optimal time bounds for some proximity problems in the plane (1) 55–60
Alt, H., V. Geffert and **K. Mehlhorn**, A lower bound for the nondeterministic space complexity of context-free recognition (1) 25–27
Aykanat, C. and **F. Özgüner**, A fault-tolerant hexagonal systolic array (4) 187–196

Bandyopadhyay, S., *see* **Sen, A.** (1) 39–46
Blum, A., Rank-r decision trees are a subclass of r-decision lists (4) 183–185
Brogi, A., A. Ciampolini, E. Lamma and **P. Mello**, The implementation of a distributed model for logic programming based on multiple-headed clauses (6) 331–338
Bui, T.N. and **C. Jones**, Finding good approximate vertex and edge partitions is NP-hard (3) 153–159
Burmester, M., An almost-constant round interactive zero-knowledge proof (2) 81–87

Cameron, H. and **D. Wood**, A note on the path length of red–black trees (5) 287–292
Chakrabarti, P.P., *see* **Sarkar, U.K.** (3) 173–177
Chakrabarti, P.P., *see* **Sarkar, U.K.** (1) 47–52
Chandru, V. and **J.N. Hooker**, Detecting embedded Horn structure in propositional logic (2) 109–111
Chen, L., Optimal parallel time bounds for the maximum clique problem on intervals (4) 197–201
Chen, Z.-Z., A simple parallel algorithm for computing the diameters of all vertices in a tree and its application (5) 243–248
Cho, S. and **D.T. Huynh**, The parallel complexity of coarsest set partition problems (2) 89–94
Ciampolini, A., *see* **Brogi, A.** (6) 331–338
Clark, L.H., F. Shahrokhi and **L.A. Székely**, A linear time algorithm for graph partition problems (1) 19–24
Colbourn, C.J., D.R. Stinson and **L. Teirlinck**, A parallelization of Miller's $n^{\log n}$ isomorphism technique (4) 223–228
Coldwell, J., *see* **Wrightson, G.** (5) 273–281

Dahlhaus, E., M. Karpinski and **P. Kelsen**, An efficient parallel algorithm for computing a maximal independent set in a hypergraph of dimension 3 (6) 309–313
Day, K. and **A. Tripathi**, Arrangement graphs: A class of generalized star graphs (5) 235–241
De Sarkar, S.C., *see* **Sarkar, U.K.** (1) 47–52
De Sarkar, S.C., *see* **Sarkar, U.K.** (3) 173–177

Edelsbrunner, H., *see* **Aggarwal, A.** (1) 55–60

Fleischner, H. and **G.J. Woeginger**, Detecting cycles through three fixed vertices in a graph (1) 29–33

Gabrani, N. and **P. Shankar**, A note on the reconstruction of a binary tree from its traversals (2) 117–119
Geffert, V., *see* **Alt, H.** (1) 25–27
Ghose, S., *see* **Sarkar, U.K.** (3) 173–177
Ghose, S., *see* **Sarkar, U.K.** (1) 47–52
Goldberg, A.V., A natural randomization strategy for multicommodity flow and related algorithms (5) 249–256
Goles, E. and **S. Martínez**, Automata networks and optimization (6) 339–343
Groote, J.F., A short proof of the decidability of bisimulation for normed BPA-processes (3) 167–171

Hamblen, J.O., *see* **Parker, A.** (3) 141–144
Han, C.-C. and **K.-J. Lin**, Scheduling real-time computations with separation constraints (2) 61–66
Han, J., Binding propagation beyond the reach of rule/goal graphs (5) 263–268
Hartmann, C.R.P., *see* **Vaidyanathan, R.** (4) 217–222
Hooker, J.N., *see* **Chandru, V.** (2) 109–111
Huy, P.T., I. Livotsky and **D. Long Van**, Which finite monoids are syntactic monoids of rational ω-languages (3) 127–132
Huynh, D.T., *see* **Cho, S.** (2) 89–94
Hwang, T., Protocols for group oriented secret sharing (4) 179–182

Jones, C., *see* **Bui, T.N.** (3) 153–159

Kamakoti, V. and **C. Pandu Rangan**, An optimal algorithm for reconstructing a binary tree (2) 113–115
Karpinski, M., *see* **Dahlhaus, E.** (6) 309–313
Kelsen, P., *see* **Dahlhaus, E.** (6) 309–313
Khuller, S. and **B. Schieber**, On independent spanning trees (6) 321–323

Kinnersley, N.G., The vertex separation number of a graph equals its path-width (6) 345–350
Kulkarni, K.H., *see* **Sprague, A.P.** (4) 229–234

Lamma, E., *see* **Brogi, A.** (6) 331–338
Li, M. and **P.M.B. Vitányi**, Average case complexity under the universal distribution equals worst-case complexity (3) 145–149
Lin, K.-J., *see* **Han, C.-C.** (2) 61– 66
Litow, B., On iterated integer product (5) 269–272
Liu, Z. and **J.-H. You**, An implementation of a nonlinear skewing scheme (4) 209–215
Livotsky, I., *see* **Huy, P.T.** (3) 127–132
Long Van, D., *see* **Huy, P.T.** (3) 127–132

Mäkinen, E., On the structural grammatical inference problem for some classes of context-free grammars (1) 1– 5
Manacher, G.K. and **T.A. Mankus**, Incorporating negative-weight vertices in certain vertex-search graph algorithms (6) 293–294
Mankus, T.A., *see* **Manacher, G.K.** (6) 293–294
Martínez, S., *see* **Goles, E.** (6) 339–343
Megiddo, N., A note on approximate linear programming (1) 53
Mehlhorn, K., *see* **Alt, H.** (1) 25– 27
Meijer, H. and **D. Rappaport**, Computing the minimum weight triangulation of a set of linearly ordered points (1) 35– 38
Mello, P., *see* **Brogi, A.** (6) 331–338
Miltersen, P.B., Circuit depth relative to a random oracle (6) 295–298
Morita, K., Computation-universality of one-dimensional one-way reversible cellular automata (6) 325–329
Mowbray, M., Finitary logics for some CCS observational bisimulations (3) 161–165

Özgüner, F., *see* **Aykanat, C.** (4) 187–196

Pandu Rangan, C., *see* **Kamakoti, V.** (2) 113–115
Parker, A. and **J.O. Hamblen**, Optimal value for the Newton–Raphson division algorithm (3) 141–144
Plateau, B. and **D. Trystam**, Optimal total exchange for a 3-D torus of processors (2) 95–102

Raghavan, P., *see* **Aggarwal, A.** (1) 55– 60
Rappaport, D., *see* **Meijer, H.** (1) 35– 38
Rubinfeld, R., Batch checking with applications to linear functions (2) 77– 80

Salowe, J.S., A note on lower bounds for rectilinear Steiner trees (3) 151–152
Sarkar, U.K., P.P. Chakrabarti, S. Ghose and **S.C. De Sarkar**, Effective use of memory in iterative deepening search (1) 47– 52
Sarkar, U.K., P.P. Chakrabarti, S. Ghose and **S.C. De Sarkar**, A simple 0.5-bounded greedy algorithm for the 0/1 knapsack problem (3) 173–177
Schieber, B., *see* **Khuller, S.** (6) 321–323
Sen, A., A. Sengupta and **S. Bandyopadhyay**, On the routing problem in faulty supercubes (1) 39– 46
Sengupta, A., *see* **Sen, A.** (1) 39– 46
Shahrokhi, F., *see* **Clark, L.H.** (1) 19– 24
Shankar, P., *see* **Gabrani, N.** (2) 117–119
Shasha, D., *see* **Zhang, K.** (3) 133–139
Singh, A.K., Towards an understanding of unbounded variables in asynchronous systems (1) 7– 17
Singh, S., Expected connectivity and leader election in unreliable networks (5) 283–285
Sinharoy, B., *see* **Szymanski, B.K.** (3) 121–126
Sprague, A.P. and **K.H. Kulkarni**, Optimal parallel algorithms for finding cut vertices and bridges of interval graphs (4) 229–234
Statman, R., *see* **Zhang, K.** (3) 133–139
Stein, C. and **J. Wein**, Approximating the minimum-cost maximum flow is P-complete (6) 315–319
Stinson, D.R., *see* **Colbourn, C.J.** (4) 223–228
Székely, L.A., *see* **Clark, L.H.** (1) 19– 24
Szymanski, B.K. and **B. Sinharoy**, Complexity of the closest vector problem in a lattice generated by (0,1)-matrix (3) 121–126

Teirlinck, L., *see* **Colbourn, C.J.** (4) 223–228
Tiwari, P., *see* **Aggarwal, A.** (1) 55– 60
Trier, U., Additive weights of a special class of nonuniformly distributed backtrack trees (2) 67– 76
Tripathi, A., *see* **Day, K.** (5) 235–241
Trystam, D., *see* **Plateau, B.** (2) 95–102

Vaidyanathan, R., C.R.P. Hartmann and **P.K. Varshney**, PRAMs with variable word-size (4) 217–222
Vaidyanathan, R., Sorting on PRAMs with reconfigurable buses (4) 203–208
Van De Snepscheut, J.L.A., A LISP programming exercise (2) 103–108
Varshney, P.K., *see* **Vaidyanathan, R.** (4) 217–222
Vitányi, P.M.B., *see* **Li, M.** (3) 145–149

Wein, J., *see* **Stein, C.** (6) 315–319
Wismath, S.K., Computing the full visibility graph of a set of line segments (5) 257–261
Woeginger, G.J. and **Z. Yu**, On the equal-subset-sum problem (6) 299–302
Woeginger, G.J., *see* **Fleischner, H.** (1) 29– 33
Wood, D., *see* **Cameron, H.** (5) 287–292
Wrightson, G. and **J. Coldwell**, A truncation technique for clausal analytic tableaux (5) 273–281

You, J.-H., *see* **Liu, Z.** (4) 209–215

Yu, Z., *see* **Woeginger, G.J.** (6) 299–302

Zhang, K., R. Statman and **D. Shasha**, On the editing distance between unordered labeled trees (3) 133–139

Zhu, B., Computing the shortest diagonal of a monotone polygon in linear time (6) 303–307